



POWERED by  
**HONDA**™



**20**  
TON

### PCLS2016GC

Operation	Horizontal
Splitting Force	20 Ton
Engine Brand	Honda GC160
Engine Starter	Recoil
Engine Displacement	160cc
Max. Log Length	24"
Max. Log Diameter	16"
Wedge Material/Size	8" (2-Way)
Auto Return	No
Hydraulic Tank Capacity	3 Gallons
Hydraulic System Capacity	4 Gallons
Cycle Time	7 Seconds
Pump Type	Two-Stage
Pump Flow (Maximum)	11 GPM
Cylinder Diameter	4"
Cylinder Length	24"
Fenders	No
Engine Guard	No
Max. Towing Speed	45 MPH
Log Cradles	Yes
Weight	360 lbs
Bed Height	28"
Dimensions (LxWxH)	62" x 39" x 33"
Consumer Warranty	2 Year Limited
Commercial Warranty	90 Day Limited



**24**  
TON

### VH1724GC

Operation	Vertical/Horizontal
Splitting Force	24 Ton
Engine Brand	Honda GC160
Engine Starter	Recoil
Engine Displacement	160cc
Max. Log Length	25"
Max. Log Diameter	16"
Wedge Material/Size	8"
Auto Return	Yes
Hydraulic Tank Capacity	7 Gallons
Hydraulic System Capacity	8 Gallons
Cycle Time	13 Seconds
Pump Type	Two-Stage
Pump Flow (Maximum)	11 GPM
Cylinder Diameter	4"
Cylinder Length	24"
Fenders	Optional
Engine Guard	Optional
Max. Towing Speed	45 MPH
Log Cradles	Yes
Weight	500 lbs
Bed Height	28"
Dimensions (LxWxH)	83" x 41" x 39"
Consumer Warranty	2 Year Limited
Commercial Warranty	90 Day Limited

**20**

USA (Toll Free): (800) 350-8739 • Local/International: +1 (763) 428-0304

# LOG SPLITTERS

- 1 Full, Industrial I-Beam**  
Durable beam construction provides incredible strength.  
*(excludes PCLS2013GC)*
- 2 4-Stage Hydraulic Filtration System**  
Filtration prevents contamination and damage to the hydraulic system by removing metal and other micro particles. Components include suction strainer, breather cap air filter, return line filter and magnetic drain plug.  
*(excludes PCLS2013GC)*
- 3 Log Cradles**  
Cradles catch split logs and serve as a work table for large logs.
- 4 Heavy-Duty Log Dislodger**  
Dislodger ejects logs that stick to the splitting wedge protecting the control valve and other hydraulic components from damage.  
*(excludes PCLS2013GC)*
- 5 Convenient Lift Handle**  
Provides added control for quicker, easier and safer transitions between the vertical and horizontal operating positions on 24-37 ton models.
- 6 Powder Coat Paint**  
Sherwin-Williams paint withstands heavy use and weather elements.
- 7 Nylon Hydraulic Hose Sleeve**  
Sleeve provides protection from:
 
  - Abrasive wear that can damage the hose
  - Accidental spraying from pinhole leaks
  - Sunlight which can break down the rubber *(excludes PCLS2013GC)*
- 8 Industrial Cylinder with Halite Seals**  
Keeps constant and consistent pressure while splitting.  
*(excludes PCLS2013GC)*
- 9 Tow-Ready**  
Towable up to 45 MPH with 2" ball hitch, chains and highway-rated tires.



**30  
TON**

## VH1730GC

Operation	Vertical/Horizontal
Splitting Force	30 Ton
Engine Brand	Honda GC190
Engine Starter	Recoil
Engine Displacement	189cc
Max. Log Length	25"
Max. Log Diameter	16"
Wedge Material/Size	8"
Auto Return	Yes
Hydraulic Tank Capacity	7 Gallons
Hydraulic System Capacity	8.5 Gallons
Cycle Time	14 Seconds
Pump Type	Two-Stage
Pump Flow (Maximum)	13 GPM
Cylinder Diameter	4.5"
Cylinder Length	24"
Fenders	Optional
Engine Guard	Optional
Max. Towing Speed	45 MPH
Log Cradles	Yes
Weight	525 lbs
Bed Height	30"
Dimensions (LxWxH)	83" x 41" x 41"
Consumer Warranty	2 Year Limited
Commercial Warranty	90 Day Limited



**37  
TON**


## VH1737GX

Operation	Vertical/Horizontal
Splitting Force	37 Ton
Engine Brand	Honda GX270
Engine Starter	Recoil
Engine Displacement	270cc
Max. Log Length	25"
Max. Log Diameter	16"
Wedge Material/Size	8"
Auto Return	Yes
Hydraulic Tank Capacity	7 Gallons
Hydraulic System Capacity	9 Gallons
Cycle Time	14 Seconds
Pump Type	Two-Stage
Pump Flow (Maximum)	16 GPM
Cylinder Diameter	5"
Cylinder Length	24"
Fenders	Optional
Engine Guard	Optional
Max. Towing Speed	45 MPH
Log Cradles	Yes
Weight	550 lbs
Bed Height	30"
Dimensions (LxWxH)	83" x 41" x 41"
Consumer Warranty	2 Year Limited
Commercial Warranty	1 Year Limited





**13**  
TON\*



**20**  
TON\*

## TMH1315

Operation	Horizontal
Splitting Force	Up to 13 Tons*
Engine Brand	N/A
Engine Starter	N/A
Engine Displacement	N/A
Max. Log Length	19"
Max. Log Diameter	12"
Wedge Material/Size	6" (2-Way)
Auto Return	No
Hydraulic Tank Capacity	N/A
Hydraulic System Capacity	N/A
Cycle Time	10 Seconds @ 3 GPM*
Pump Type	N/A
Pump Flow (Maximum)	N/A
Cylinder Diameter	3"
Cylinder Length	18"
Fenders	No
Max. Towing Speed	N/A
Log Cradles	Yes
Weight	143 lbs
Bed Height	Tractor Dependent
Dimensions (LxWxH)	43" x 34" x 20"
Consumer Warranty	2 Year Limited
Commercial Warranty	1 Year Limited

## TMH2015

Operation	Horizontal
Splitting Force	Up to 20 Tons*
Engine Brand	N/A
Engine Starter	N/A
Engine Displacement	N/A
Max. Log Length	25"
Max. Log Diameter	16"
Wedge Material/Size	8" (2-Way)
Auto Return	No
Hydraulic Tank Capacity	N/A
Hydraulic System Capacity	N/A
Cycle Time	7 Seconds @ 11 GPM*
Pump Type	N/A
Pump Flow (Maximum)	N/A
Cylinder Diameter	4"
Cylinder Length	24"
Fenders	No
Max. Towing Speed	N/A
Log Cradles	Included
Weight	293 lbs
Bed Height	Tractor Dependent
Dimensions (LxWxH)	46" x 34" x 22"
Consumer Warranty	2 Year Limited
Commercial Warranty	1 Year Limited

\*Dependent on Tractor's Hydraulic Pressure

# LOG SPLITTERS

- 1 Two-Way Operating Control**  
Easy to use split control lever allows operator to move the wedge forward and backward. Wedge splits on both the forward and reverse stroke cutting cycle time in half.
- 2 Hydraulic Operation**  
Use your tractor's hydraulics to operate the cylinder.  
*(hydraulic hoses not included)*
- 3 Operating Controls**  
You'll split twice as much as you would in the same time with a conventional wedge

- 4 Tapered Wedge Design**  
Wedge design has two tapered edges to allow faster splitting in both directions.
- 5 Log Cradles**  
Cradles catch split logs and serve as a work table for large logs.
- 6 Tractor Mount**  
Category 1, 3-point hitch for convenient attachment to your tractor.



## OPTIONAL HOSE KIT ITEM # TMH 10' HOSE KIT

Two hydraulic hoses, 10' long and pre-assembled with the necessary fittings to attach your Brave 3-point log splitter to most tractors. One end is equipped with a male 1/2" NPT fitting, the other a male quick-connect fitting.

*Fits TMH1315 & TMH2015*

## LOG SPLITTER ACCESSORIES



### ENGINE GUARD ITEM # 795172

Protect your splitter's engine from falling logs. Mounts easily on current models with all hardware included.

*Fits VH1724GC, VH1730GC & VH1737GX*



### FENDER KIT ITEM # 795171

Protect your investment from falling logs and branches and prevent sand, rocks and road spray from being thrown when transported.

*Fits VH1724GC, VH1730GC & VH1737GX*



### LOG SPLITTER COVER ITEM # GNE-1105-CVR

Protect your log splitter from the harsh weather elements with this heavy-duty cover.

*Fits PCLS2013GC, VH1724GC, VH1730GC & VH1737GX*