



EARTH AUGERS

TWIST GRIP THROTTLE

Easy to use twist grip throttle control for simple one person operation.

COMFORT-ZONE® HANDLE

Comfort-Zone® composite operator handle design helps maximize operator strength while reducing the effects of kickback and body fatigue.



BRP240HHD shown

ALL METAL CENTRIFUGAL CLUTCH

Clutch slips on overload or when striking buried objects.

HONDA POWERED

Honda engine for powerful and reliable performance.



BRP330HHD shown

COMFORT-FLEX® HANDLES

Comfort-Flex® composite operator handles flex under load to help absorb vibration and shock.

AUGER BITS & ACCESSORIES

AVAILABLE IN A VARIETY OF SIZES AND FOR VARIOUS DRIVESHAFT CONNECTIONS



COMFORT-ZONE® OR -FLEX® HANDLES

FLEX UNDER LOAD TO HELP ABSORB VIBRATION AND KICKBACK FORCES FOR LESS FATIGUE AND ENHANCED SAFETY

CE CERTIFIED

(EUROPEAN CONFORMITY)

BRP240HHD

1 PERSON



Bits sold separately

Number of Operators	1 Person
Engine Brand	Honda GX35
Engine Starter	Recoil
Engine CC	35
Transmission	Enclosed, Spur Geared, Double Reduction
Rotation Speed	166 RPM (No Load)
Capacity	2" to 8" Diameter
Digging Length	30"
Auger Extension	15" Plain Tube Type
Clutch	All-Metal Automatic-Centrifugal
Drive Connection	1" Round
Max. Drilling Torque	55 ft lbs
Throttle Control	Twist Grip
Operator Handle	Comfort-Zone®
Reduction Ratio	42.5 to 1
Weight (Less Auger)	27 lbs
Consumer Warranty	2 Year Limited
Commercial Warranty	1 Year Limited

BRP330HHD / BRP343HHD

2 PERSON



Bits sold separately

Number of Operators	2 Person
Engine Brand	Honda GXV160
Engine Starter	Recoil
Engine CC	163
Transmission	Enclosed, Spur Geared, Double Reduction
Rotation Speed	144 RPM (No Load)
Capacity	2" to 18" Diameter
Digging Length	36"
Auger Extension	15" Plain Tube Type, 36" Continuous Flighted
Clutch	All-Metal Automatic-Centrifugal
Drive Connection	1-3/8" Hexagon / 7/8" Square
Max. Drilling Torque	190 ft lbs
Throttle Control	Twist Grip
Operator Handle	Comfort-Flex®
Reduction Ratio	25 to 1
Weight (Less Auger)	71 lbs
Consumer Warranty	2 Year Limited
Commercial Warranty	1 Year Limited



BR10594
shown



BR10609



BR10611 BR10612

EARTH AUGER ACCESSORIES

1. Round Bits

Item #	Diameter	Length
BR10580	2"	30"
BR10581	3"	30"
BR10582	4"	30"
BR10583	6"	30"
BR10584	8"	30"

2. Hexagon Bits

Item #	Diameter	Length
BR10586	4"	36"
BR10587	6"	36"
BR10588	8"	36"
BR10590	12"	36"
BR10591	14"	36"
BR10592	16"	36"
BR10593	18"	36"

3. Square Bits

Item #	Diameter	Length
BR10595	4"	36"
BR10596	6"	36"
BR10597	8"	36"
BR10598	10"	36"
BR10599	12"	36"
BR10600	14"	36"
BR10601	16"	36"
BR10602	18"	36"

4. Bit Extensions

Item #	Type	Length
BR10585	Round	15"
BR10594	Hexagon	15"
BR10603	Square	15"

5. Blades

Item #	Type	Diameter
BR10604	Knife-Edge	4"
BR10605	Knife-Edge	6"
BR10606	Knife-Edge	8"
BR10607	Knife-Edge	10"
BR10608	Knife-Edge	12"

6. Screw Bits

Item #	Type
BR10609	Fits BRP240HHD (except 2" and 3" diameter)
BR10611	Fits BRP330HHD & BRP343HHD
BR10612	Fits BRP330HHD

7. Teeth

Item #	Type
BR10610	Hardfaced Dirt